


## Abboud automobile.



260 mm x 320 mm x 60 mm INA NA4852  
roulements à aiguilles

Bearing No. NA4852

NA4852 Bearing 2D drawings and 3D CAD models

Size	260x320x60 mm
Bore Diameter	260 mm
Outer Diameter	320 mm
Width	60 mm
d	260 mm
D	320 mm
B	60 mm
F	285 mm
$r_{\min}$	2 mm
s	2 mm / Axial displacement
m	10600 g / Weight
$C_r$	415000 N / Dynamic load rating (radial)
$C_{0r}$	1160000 N / Static load rating (radial)
$C_{ur}$	158000 N / Fatigue limit load, radial
$n_G$	1660 1/min / Limiting speed
$n_B$	890 1/min / Reference speed
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	12.705
Product Group	B04270



## Aboud automobile.

Rolling Element	Needle Roller Bearing
Component	Complete with Outer and Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Closed End	No
Inch - Metric	Metric
Relubricatable	Yes
Thrust Bearing	No
Long Description	260MM Bore; 320MM Outside Diameter; 60MM Width; Needle Roller Bearing; Complete with Outer and Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; Inner Ring - Both Sides Se
Other Features	Plain Inner Ring   2 Rib Outer Ring   Precision Bearing   Steel Cage   Ground Raceway with Rib   Oil Hole
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	NA4852
Weight / LBS	23.373
Width	2.362 Inch   60 Millimeter



## Aboud automobile.

Bore	10.236 Inch   260 Millimeter
Outside Diameter	12.598 Inch   320 Millimeter